
RATHDOWNE **STAGE 25 - STREETSCAPE PROJECT NUMBER: 309190** LANDSCAPE ARCHITECTURE DRAWINGS

DRAWING SCHEDULE

FOR VILLAWOOD

DRAWING NO.	DESCRIPTION	SHEET NO.	REVISION
LD100	COVER - SHEET 1	1	E
LD200	SCHEDULES - SHEET 1	2	E
LD700	PLANTING PLANS - SHEET 1	3	E
LD701	PLANTING PLANS - SHEET 2	4	E
LD900	DETAILS - SHEET 1	5	E
LD901	DETAILS - SHEET 2	6	E



PLANNING ENVIRONMENTACT CITY OF WHITTLESEA PLANNING SCHEME Plan referred to in Permit to use and/or develop land. Application No: 717639 Condition No: 14.2 Sheet 1 of 6 Date Permit issued:6 March 2019

Date:18/06/2025 Town Planner

GENERAL NOTES

- Unless otherwise specified on the drawings all measurements, lengths, heights and distances to be determined from dimensions and NOT scaled off the drawings.
- Before commencement of any works it is the responsibility of the Landscape Contractor to contact Dial Before You Dig 1100 (Fax 1300 652 077) for information on services in the area shown on the plan (www.dialbeforeyoudig.com.au)
- The locations of underground services are approximate only and their exact position should be proven on site. No guarantee is given that all existing services are shown. The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor must have a copy of Melbourne One Call/Services information and plans on site at all times.
- The Contractor shall be liable for any damage to services during landscape works.
- All trees shall be planted in locations shown on this plan, with setout to be approved on site by the Superintendent prior to planting.
- Tree canopies are shown at 75% of mature diameter.
- Any change in plant species must have the approval of the Superintendent.
- Trees shall not be planted less than the following distances from existing elements, unless otherwise stated in the documentation:
- Crossovers 2.0m -Light poles - 3.0m
- -Conduits/services -1.0m
- -House drain 1.0m
- -Stormwater pits 1.5m
- -Fire plugs/hydrant 1.5m -Corner lots - Behind splay
- -Footpaths 1.25m
- -Back of kerbb 1.25m
- 10. The Superintendent is to inspect trees supplied by the Contractor prior to planting.
- 11. The Principal will ensure that all property boundaries are to be pegged out by licensed surveyors prior to set out of landscape works.
- 12. All drawings 'For Construction' to be printed in colour.
- 13. ALL TREE STOCK TO CONFORM TO AS 2303:2018; APPENDIX D.



© Spiire Australia Pty Ltd All Rights Reserved

his document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

L6 414 LA TROBE STREET PO BOX 16084 MELBOURNE VICTORIA 8007 AUSTRALIA T 61 3 9993 7888 www.spiire.com.au

ABN 55 050 029 635

PRELIMINARY

			ļ
Ε	ISSUED TO COUNCIL	SV	14/05/25
D	ISSUED TO COUNCIL	SV	26/08/24
С	ISSUED TO COUNCIL	SV	06/08/24
В	ISSUED TO CLIENT	SB	17/06/24
Α	PRELIMINARY ISSUE		21/10/21
REV	DESCRIPTION	APP	DATE

RATHDOWNE

STAGE 25 - STREETSCAPE

DETAILED DESIGN

COVER - SHEET 1 SHEET 1 OF 6 **CITY OF WHITTLESEA** VILLAWOOD

Ν MGA 94 ZONE



DESIGNED DRAWN AS AS

CHECKED APPROVED SB SV DRG NO. RE\ 309190LD100 E

AS SHOWN

DATE 18/10/2021

TREE SCHEDULE

ALL TREE STOCK TO CONFORM TO AS 2303:2018, APPENDIX D. ALL TREE STOCK OF 45L TO HAVE A HEIGHT OF 1.5m - 2.0m AND CALIPER OF 25mm - 30mm UNLESS APPROVED IN WRITING BY THE SUPERINTENDENT.

and the second	and the second constraints of the second sec					
CODE	BOTANICAL NAME	COMMON NAME	MATURE SIZE (HxW)	POT SIZE	QUANTITY	
Am	Acacia melanoxylon	Blackwood Wattle	12 x 5	45L	6	
Вр	Brachychiton populneus x acerifolius 'Jerilderie Red'	Jerilderie Red Brachychiton	8 x 7	45L	3	
El	Eucalyptus leocoxylon 'Megalocarpa'	Large-fruited Yellow Gum	8 x 5	45L	49	
Em	Eucalyptus mellidora	Yellow Box	15 x 10	45L	1	
Up	Ulmus parvifolia 'Todd'	Todd Chinese Elm	10 x 11	45L	5	
				TOTAL TREES	64	

GARDEN BED PLANTING MIX A	,				Garden Bed Code		A1	A2	A3	A4	A5
Install size: 150mm pots					TOTAL Area/m ²	296	49	70	41	68	68
BOTANICAL NAME	COMMON NAME	MATURE SIZE (HxW)	CENTRES/SPA CINGS	DENSITY m ²	% DISTRIBUTION	TOTAL QTY					
Gazania tomentosa	Silver Gazania	0.3 x 1	0.5	4	40%	474	78	112	66	109	109
Westringia fruticosa 'Grey box'	Grey Box Westringia	0.45 x 0.45	0.5	4	40%	474	78	112	66	109	109
Lomandra longifolia	Spiny-headed Mat-rush	1 x 0.6	0.5	4	20%	236	39	56	33	54	54
				TOTAL	100%	1184	195	280	165	272	272

GARDEN BED PLANTING MIX B	DEN BED PLANTING MIX B						B1
Install size: 150mm pots	stall size: 150mm pots						136
BOTANICAL NAME	COMMON NAME	MATURE SIZE (HxW)	CENTRES/SPA CINGS	DENSITY m ²	% DISTRIBUTION	TOTAL QTY	
Acacia cognata 'Mini Cog'	River Wattle	1 x 1	0.6	3	30%	122	122
Gazania tomentosa	Silver Gazania	0.3 x 1	0.6	3	30%	122	122
Westringia fruticosa 'Morning Light'	Coastal Rosemary	1.2 x 1.5	0.7	2	20%	54	54
Poa labillardierei var. labillardierei	Common Tussock-grass	1.2 x 0.5m	0.5	4	20%	109	109
				TOTAL	100%	407	407

PLANNING ENVIRONMENTACT CITY OF WHITTLESEA PLANNING SCHEME Plan referred to in Permit to use and/or develop land. Application No: 717639 Condition No: 14.2 Sheet 2 of 6 Date Permit issued:6 March 2019

Date:18/06/2025



NOTES

© Spiire Australia Pty Ltd All Rights Reserved This document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

L6 414 LA TROBE STREET PO BOX 16084 MELBOURNE VICTORIA 8007 AUSTRALIA T 61 3 9993 7888 www.spiire.com.au ABN 55 050 029 635

PRELIMINARY

E	ISSUED TO COUNCIL	SV	14/05/25
_			
D	ISSUED TO COUNCIL	SV	26/08/24
С	ISSUED TO COUNCIL	SV	06/08/24
В	ISSUED TO CLIENT	SB	17/06/24
Α	PRELIMINARY ISSUE		21/10/2021
REV	DESCRIPTION	APP	DATE

RATHDOWNE

STAGE 25 - STREETSCAPE


DETAILED DESIGN SCHEDULES - SHEET 1 SHEET 2 OF 6 **CITY OF WHITTLESEA** VILLAWOOD

AS AS DATE

30-08-2021

DESIGNED DRAWN CHECKED APPROVED SV MS DRG NO. REV **309190LD200 A** REV

LEGEND



EXTENT OF WORKS

EXISTING STORMWATER Refer Civil

> EXISTING CONDUITS / SERVICES Refer Civil

EXISTING STREET LIGHTS
 Refer Power

(Qp⁺

Refer Power
PROPOSED TREE

Refer Schedules, Details and Specification

TURF GRASS Refer Details and Specification

GARDEN BED Refer Details and Specification


SPADE EDGING




3M ELECTRICAL JOINT AND CONDUIT END OFFSET

Refer Details and Specification

4M LIGHT POLE AND PARALLELING PILLAR OFFSET





file



PLANNING ENVIRONMENTACT
CITY OF WHITTLESEA
PLANNING SCHEME
Plan referred to in Permit to use and/or develop land.
Application No: 717639
Condition No: 14.2
Sheet 3 of 6
Date Permit issued:6 March 2019
Date:18/06/2025
Town Planner

SUPERLOT 2 8767 m2







© Spiire Australia Pty Ltd All Rights Reserved This document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

L6 414 LA TROBE STREET PO BOX 16084 MELBOURNE VICTORIA 8007 AUSTRALIA T 61 3 9993 7888 www.spiire.com.au ABN 55 050 029 635

PRELIMINARY

Ε	ISSUED TO COUNCIL	SV	14/05/25
D	ISSUED TO COUNCIL	SV	26/08/24
С	ISSUED TO COUNCIL	SV	06/08/24
В	ISSUED TO CLIENT	SB	17/06/24
Α	PRELIMINARY ISSUE		21/10/21
REV	DESCRIPTION	APP	DATE

RATHDOWNE

 \wedge

STAGE 25 - STREETSCAPE

DETAILED DESIGN Planting plans - Sheet 1 Sheet 3 of 6 City of Whittlesea Villawood

LEGEND



EXTENT OF WORKS EXISTING STORMWATER

Refer Civil

EXISTING CONDUITS / SERVICES Refer Civil

EXISTING STREET LIGHTS
 Refer Power

PROPOSED TREE Refer Schedules, Details and Specification

(Qp⁺

Refer Details and Specification SPADE EDGING

TURF GRASS

Refer Details and Specification **3M ELECTRICAL JOINT AND**

ROCK

CONDUIT END OFFSET 4M LIGHT POLE AND


PARALLELING PILLAR OFFSET

GARDEN BED Refer Details and Specification

Refer Details and Specification

 \bigcirc

FIXED BOLLARD FB_o Refer Details and Specification



NOTES



© Spiire Australia Pty Ltd All Rights Reserved This document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

L6 414 LA TROBE STREET PO BOX 16084 MELBOURNE VICTORIA 8007 AUSTRALIA T 61 3 9993 7888 ABN 55 050 029 635 www.spiire.com.au


PRELIMINARY

E	ISSUED TO COUNCIL	SV	14/05/25
D	ISSUED TO COUNCIL	SV	26/08/24
С	ISSUED TO COUNCIL	SV	06/08/24
В	ISSUED TO CLIENT	SB	17/06/24
Α	PRELIMINARY ISSUE		21/10/21
REV	DESCRIPTION	APP	DATE

RATHDOWNE

STAGE 25 - STREETSCAPE


DETAILED DESIGN **PLANTING PLANS - SHEET 2** SHEET 4 OF 6 **CITY OF WHITTLESEA** VILLAWOOD



1:250 SCALE @ A1 DRAWN	0 2.5 t	APPROVED	12.5 1
AS	SV	SB	
21	DRG NO. 309190LD7	REV 701 F	

DATE 18/10/2021

DESIGNED AS



PLANNING ENVIRONMENTACT CITY OF WHITTLESEA PLANNING SCHEME Plan referred to in Permit to use and/or develop land. Application No: 717639 Condition No: 14.2 Sheet 5 of 6 Date Permit issued:6 March 2019

Date:18/06/2025 Town Planner

ALL TREES TO BE IN ACCORDANCE WITH AS2303:2015. TREES TO BE WELL GROWN AND FREE OF PESTS AND DISEASES AT TIME OF DELIVERY. WATER PRIOR TO PLANTING. REMOVE SUPPLIER TAGS AND STAKES.


STAKE WITH 2 No. 1800 x 50 x 50mm HARDWOOD STAKES DRIVEN 600mm INTO THE GROUND, TO BE INSTALLED OUTSIDE OF TREE DRIPLINE. TIE WITH CONTINUOUS 50mm WEBBING STAPLED TO STAKES, LOOPED IN A FIGURE EIGHT CONFIGURATION.

- DO NOT COVER TOP OF ROOTBALL WITH BACKFILL OR MULCH. ROOTBALL TO SIT ABOVE (MAX. 20mm) NATURAL GROUND LEVEL.

- PLANTING HOLE EXCAVATED TO A DEPTH EQUAL TO THE ROOTBALL HEIGHT. DIAMETER OF HOLE TO BE 2.5 - 3.0 TIMES THE ROOTBALL. BASE OF HOLE TO BE DISH SHAPED. BACKFILL WITH EXCAVATED MATERIAL. WHERE BACKFILL CONSISTS OF WET HEAVY CLAY, USE APPROVED LOCAL TOPSOIL.

FORM BOWL SHAPE TO BOTTOM OF PLANTING HOLE

PLACE ROOTBALL ON LEVEL AND COMPACTED SUBGRADE



NOTES

- 1. Existing pasture grass and/or weeds are to be sprayed with herbicide.
- 2. No machinery to be used within the drip line of existing trees.
- 3. Topsoil to be raked to a fine tilth, removal of all surface rocks, large lumps of
- clay, weeds and rubbish prior to application of turf to all areas as shown. 4. New grassed areas to be protected from trespass and traffic with star pickets
- and barrier rope until grass is established. 50 WATER CONTRACTOR AND AND AND A CONTRACTOR AND A MADER AND A CONTRACTOR AND A CONTRACTOR AND A CONTRACTOR AND A — Kikuyu instant turf Layer of approved topsoil. -----Refer Specification. 150 Layer of machine cultivated site soil. /44 — Existing subgrade ////// **TURF GRASS DETAIL**

Scale 1:10 @ A1

- ALL SHRUBS ARE TO BE HEALTHY WELL GROWN SPECIMENS FREE OF ANY PESTS OR DISEASES AND MUST NOT BE POT BOUND.

- 75mm MIN. DEPTH MULCH, 25mm DEPTH ABOVE NOMINATED FINISHED SURFACE LEVEL. KEEP MULCH CLEAR OF SHRUB

-150mm DEPTH TOPSOIL

- EXISTING SUBGRADE

NOTES



© Spiire Australia Pty Ltd All Rights Reserved This document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

L6 414 LA TROBE STREET PO BOX 16084 MELBOURNE VICTORIA 8007 AUSTRALIA T 61 3 9993 7888 www.spiire.com.au ABN 55 050 029 635

PRELIMINARY

Ε	ISSUED TO COUNCIL	SV	14/05/25
D	ISSUED TO COUNCIL	SV	26/08/24
С	ISSUED TO COUNCIL	SV	06/08/24
В	ISSUED TO CLIENT	SB	17/06/24
Α	PRELIMINARY ISSUE		21/10/21
REV	DESCRIPTION	APP	DATE

RATHDOWNE

STAGE 25 - STREETSCAPE

DETAILED DESIGN DETAILS - SHEET 1 SHEET 5 OF 6

CITY OF WHITTLESEA VILLAWOOD


DESIGNED DRAWN AS AS DATE

AS SHOWN CHECKED APPROVED SV SB DRG NO. REV 309190LD900 E


18/10/2021

NOTE:

Place rock with most visually interesting side facing up
Set rock a minimum 1/2 below surrounding surface
Ensure exposed rock face is is free of sharp edges and safe to sit on




ROCK IN GARDEN BED DETAIL SCALE 1:10 @ A1



3 SPADE EDGE DETAIL SCALE 1:10 @ A1

name 309190LD900.dwg layout name LD901 plotted by Steve Wang ocation \\spiire\meldata\Data\30\309190\landscape\ACAD plot date 16/05/2025 9:42 AM Sheet 6 of (

file



PLANNING ENVIRONMENTACT CITY OF WHITTLESEA PLANNING SCHEME Plan referred to in Permit to use and/or develop land. Application No: 717639 Condition No: 14.2 Sheet 6 of 6 Date Permit issued:6 March 2019 Qate:18/06/2025 Town Planner



NOTES

© Spiire Australia Pty Ltd All Rights Reserved This document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

L6 414 LA TROBE STREET PO BOX 16084 MELBOURNE VICTORIA 8007 AUSTRALIA T 61 3 9993 7888 www.spiire.com.au ABN 55 050 029 635

PRELIMINARY

E	ISSUED TO COUNCIL	SV	14/05/25
D	ISSUED TO COUNCIL	SV	26/08/24
С	ISSUED TO COUNCIL	SV	06/08/24
В	ISSUED TO CLIENT	SB	17/06/24
Α	PRELIMINARY ISSUE		21/10/21
REV	DESCRIPTION	APP	DATE

RATHDOWNE

STAGE 25 - STREETSCAPE

DETAILED DESIGN DETAILS - SHEET 2 SHEET 6 OF 6 CITY OF WHITTLESEA

VILLAWOOD

DESIGNED DRAWN AS AS DATE 18/10/2021 AS SHOWN CHECKED APPROVED SV SB DRG NO. REV

DRG NO. REV 309190LD901 E