

NOTATIONS:

- The front and side setbacks are measured to the outermost walls of the buildings.
- Garages must be setback a minimum of 5.0m from the front street boundary unless otherwise noted.
- Walls less than 1.0m from the boundary must be within 200mm or less of the boundary.
- The setback to a side street boundary for a corner lot is 2m unless noted otherwise.
- Two storey setback within the building envelope at the rear of the properties is 2.5m.
- Building to Boundary Zone to one boundary only unless terrace profile nominated.

ADDITIONAL NOTATIONS (for Lots marked with *):

- With the exception of garages with access from a laneway, garages must be located or setback behind the front facade of the home.
- Garages may be setback either 5.0m or more or 3.9m or less behind the front street boundary.
- Garages setback between 5.0m and 3.9m behind the front street boundary are not permitted.
- Minimum Open Space required is 25 square metres with a 3m minimum width.
- Maximum building site coverage of 70% is permitted.

Refer "Diagrams and Plans" in this document for further definitions.

Building to Boundary Zone

Single Storey Building Envelope



Overlooking Zone - Habitable room windows or raised open spaces are a

Note: Garages must be setback a minimum of 5m from main street frontage



source of overlooking



Non -Overlooking Zone - Habitable room windows or raised open spaces are not a source of overlooking




Double Storey Building Requirement

The registered proprietor or proprietors of the lot are required to build in accordance with the approved building envelopes shown hereon and in the "Profile Diagrams" in this document.

This plan forms part of the "Rathdowne Design Guidelines". Please refer to these Guidelines for further information.

| •• | 414 La Trobe Street | | ORIGINAL SHEET SIZE: A3 | SHEET 1 |
|--------|---|---|----------------------------|---------|
| spiire | PO Box 16084 Melbourne Vic 8007 T 61 3 9993 7888 spiire.com.au | Licensed Surveyor: Mark Oswald Stansfield Ref: 303246SV00_BE Version: 5 | | |



| spiire | 414 La Trobe Street PO Box 16084 Melbourne Vic 8007 T 61 3 9993 7888 spiire.com.au | SCALE 1: 750 | 7.5 0 Luuluul | 7.5 I NGTHS ARE | 15 I E IN METR | 22.5 | 30 |
|--------|--|---|------------------|-----------------------|----------------------|--------------|--------|
| | | Licensed Surveyor: Mark Oswald Stansfield Ref: 303246SV00_BE Version: 5 | | | | | |

BUILDING ENVELOPE SCHEDULE See Sheet 1 for Legend

NOTATIONS:


- Where a profile when applied covers an easement, the portion of the profile within the easement cannot be considered for approval / built upon. This may vary in the circumstances where building on the easement receives prior written consent by the relevant authority.

- The Building Envelopes on this plan are shown enclosed by continuous thick lines.

- Profile types (A), (B), (C), (D) & (T) are contained in "Profile Diagrams" in this document.

T 61 3 9993 7888

spiire.com.au



Licensed Surveyor: Mark Oswald Stansfield Ref: 303246SV00 BE Version: 5

