
BUILDING ENVELOPE PLAN

LEGEND

EXAMPLE OF TYPICAL BUILDING ENVELOPE SETBACKS

ROAD



NOTATIONS

- The front and side setbacks are measured to the outermost walls of the buildings.
- Garages must be setback a minimum of 5.0m from the front street boundary unless otherwise noted.
- Walls less than 1.0m from the boundary must be within 200mm of the boundary.
- Two storey setback within the building envelope at the rear of the properties is 2.5m
- Building to Boundary Zone to one boundary only.

ADDITIONAL NOTATIONS (for Lots marked with *):

- With the exception of garages with access from a laneway, garages must be located or setback behind the front facade of the home.

Refer "Diagrams and Plans" in this document for further definitions.

Single Storey Building Envelope Note: Garages must be setback a minimum 5m from main street frontage
Building to Boundary Zone
Overlooking Zone - Habitable room windows or raised open spaces are a source of overlooking
Non-Overlooking Zone - Habitable room windows or raised open spaces are not a source of overlooking



Double Storey Building Requirement

	2070S-06 BE VER J.DWG SB/JC				
SIVIEC					
Member of the Surbana Jurong Group					
	REF 2070s-06 BE				

ORIGINAL	SHEE
C17E	


NOTATIONS

PLAN NUMBER PS841640V/S6

- Where a profile when applied covers an easement, the portion of the profile within the easement cannot be considered for approval / built upon. This may vary in the circumstances where building on the easement receives prior written consent by the relevant authority.

- The Building Envelopes on this plan are shown enclosed by continuous thick lines.


- Profile type (A) is contained in "Profile Diagram" in this document.
- TYPE A denotes Small Lot Housing Code Type A






ORIGINAL SHEET SIZE: A3

PROFILE DIAGRAM



Natural surface falling from boundary



Natural surface rising from boundary