
BUILDING ENVELOPE PLAN

LEGEND

EXAMPLE OF TYPICAL BUILDING ENVELOPE SETBACKS

ROAD



NOTATIONS

- The front and side setbacks are measured to the outermost walls of the buildings.
- Garages must be setback a minimum of 5.0m from the front street boundary unless otherwise noted.
- Walls less than 1.0m from the boundary must be within 200mm of the boundary.
- Building to Boundary Zone to one boundary only unless terrace profile nominated.

ADDITIONAL NOTATIONS (for Lots marked with *):

- With the exception of garages with access from a laneway, garages must be located or setback behind the front facade of the home.

Refer "Diagrams and Plans" in this document for further definitions.

Single Storey Building Envelope Note: Garages must be setback a minimum 5m from main street frontage
Building to Boundary Zone
Overlooking Zone - Habitable room windows or raised open spaces are a source overlooking
Non-Overlooking Zone - Habitable room windows or raised open spaces are not source of overlooking



Double Storey Building Requirement

2070S-04A BE VER D.DWG JC/JC




ORIGINAL	SHEET
6175	

of

a

NOTATIONS

- Where a profile when applied covers an easement, the portion of the profile within the easement cannot be considered for approval / built upon. This may vary in the circumstances where building on the easement receives prior written consent by the relevant authority.
- The Building Envelopes on this plan are shown enclosed by continuous thick lines.
- Profile type (A) is contained in "Profile Diagram" in this document.
- TYPE B denotes Small Lot Housing Code Type B




2070S-04A BE VER D.DWG JC/JC



ORIGINAL SHEET SIZE: A3

PS841640V/S8

PROFILE DIAGRAM





ORIGINAL SHEET

SIZE: A3

ADRIAN THOMAS