
# BUILDING ENVELOPE SCHEDULE

### LEGEND

## EXAMPLE OF TYPICAL BUILDING ENVELOPE SETBACKS



### **NOTATIONS:**

- The front and side setbacks are measured to the outermost walls of the buildings.
- Garages must be setback a minimum of 5.0m from the front street boundary unless otherwise noted.
- Walls less than 1.0m from the boundary must be within 200mm or less of the boundary.
- The setback to a side street boundary for a corner lot is 2.0m unless noted otherwise.
- Two storey setback within the building envelope at the rear of the properties is 2.5m.
- Building to Boundary Zone to one boundary only unless terrace profile nominated.

## ADDITIONAL NOTATIONS (for Lots marked with \*):

- With the exception of garages with access from a laneway, garages must be located or setback behind the front facade of the home.
- Garages may be setback either 5.0m or more or 3.9m or less behind the front street boundary.
- Garages setback between 5.0m and 3.9m behind the front street boundary are not permitted.
- Minimum Open Space required is 25 square metres with a 3m minimum width.
- Maximum building site coverage of 70% is permitted.

Refer "Diagrams and Plans" in this document for further definitions.

**Double Storey Building Requirement** 

Single Storey Building Envelope
Note: Garages must be setback a minimum of 5m from main street frontage

Building to Boundary Zone

Overlooking Zone - Habitable room windows or raised open spaces are a source of overlooking

Non - Overlooking Zone - Habitable room windows or raised open spaces are not a source of overlooking

The registered proprietor or proprietors of the lot are required to build in accordance with the approved building envelopes shown hereon and in the "Profile Diagrams" in this document.

This plan forms part of the "Rathdowne Design Guidelines". Please refer to these Guidelines for further information.



414 La Trobe Street PO Box 16084 Melbourne Vic 8007 T 61 3 9993 7888 spiire.com.au


Licensed Surveyor: Mark Oswald Stansfield

Ref: 308021SV00 BE

Version: 1

ORIGINAL	SHEET
SIZE:	A3

# PS 803931Y/S9



### **BUILDING ENVELOPE SCHEDULE** See Sheet 1 for Legend

#### **NOTATIONS:**

- Where a profile when applied covers an easement, the portion of the profile within the easement cannot be considered for approval / built upon. This may vary in the circumstances where building on the easement receives prior written consent by the relevant authority.
- The Building Envelopes on this plan are shown enclosed by continuous thick lines.
- Profile types (A), (B), (C), (D) & (T) are contained in "Profile Diagrams" in this document.

Lots under 300mДdo not include building envelopes as they are subject to either the small lot housing code or require a specific separate permit for a dwelling. See the small lot housing code in relation to Type A lots.

SURVEYOR'S FILE REF: 308021SV00 BE



414 La Trobe Street PO Box 16084 Melbourne Vic 8007 T 61 3 9993 7888

00,122	1.)	U	7.5	15	22.5	30
1:750	LENGTHS ARE IN METRES					

STONEVIEW

ORIGINAL SHEET SIZE: A3

PLACE

abla

EUNGELL,

SHEET 2

1334 TYPE A

1335 TYPE A

1336 TYPE A

1337 TYPE A

1338 TYPE A

1339 TYPE A


1340 TYPE A


Licensed Surveyor: Mark Oswald Stansfield


Version: 1


# PROFILE DIAGRAMS

# PS 803931Y/S9











Natural surface falling from boundary

Natural surface rising from boundary

Natural surface falling from boundary

Natural surface rising from boundary






D 3.56

Boundary 3.60

6.90



Natural surface falling from boundary


Natural surface rising from boundary

from side boundary

Version: 1

Natural surface falling from boundary

Natural surface rising from boundary





from side boundary

414 La Trobe Street PO Box 16084 Melbourne Vic 8007 T 61 3 9993 7888 spiire.com.au SIZE: A3

Licensed Surveyor: Mark Oswald Stansfield Ref: 308021SV00\_BE

ORIGINAL SHEET

SHEET 3