Section 91A Milat	Tof common provisions Selection of Early Act 1958 TACT 1987 This plan/document is endorsed in accordance with Condition No. 7 of Permit No. P22159.01 Sheet No. 1 of 10 Date: 24/04/2023	Privacy Collection Statement The information in this form is collected under statutory authority and is used for the purpose of maintaining publicly searchable registers and indexes.
Lodged by Name:	Signature for the Responsible Authority:	
Phone:	Max Williams	
Address:		
Reference:		
Customer code:		

This memorandum contains provisions which are intended for inclusion in instruments and plans to be subsequently lodged for registration.

Provisions:

Covenants:

1 Preliminary

All Provisions not addressed in this Memorandum of Common Provisions (MCP) are as required in the current Building Regulations.

This MCP cannot be changed or amended unless with the written consent of the Responsible Authority.

Approved Building Envelopes

Any building on Lot 801 to Lot 834 (inclusive) within subdivision plan PS 909578X must be contained within the building envelopes shown on the attached plan and defined by the associated setback profiles and written notes contained therein.

2. Text of restrictions:

The matters which are restricted by the building envelopes are:

2.1 Minimum street setback Building Regulations 2018 Part 5 – Siting, Regulation 74

The front street setback is designated on the specified Building Envelope for each allotment. All dwellings must be set back from the main street frontage by the minimum distance indicated. Garages must be located or set back behind the front façade of the dwelling.

Unless noted on the plan, the minimum front setback on a splayed or curved corner between two street frontages is on an arc connecting the front street setback line to the side street setback line commencing at the points that are perpendicular to the points where the street alignment commences to arc.

Garages must be located or setback behind the front façade of the dwelling.

35271702A V3

- 1. The provisions are to be numbered consecutively from number 1.
- 2. Further pages may be added but each page should be consecutively numbered.
- 3. To be used for the inclusion of provisions in instruments and plans.

91ATLA

Page 1 of 10

THE BACK OF THIS FORM MUST NOT BE USED

Land Use Victoria contact details: see www.delwp.vic.gov.au/property>Contact us

Memorandum of common provisions Section 944 Transfel of Early Fact 1958 T ACT 1987 This plan/document is endorsed in accordance with Condition No. 7 of Permit height 22159.01 Building Regulations 2018 Part 5 – Siting, Regulation 75 Human Planning Scheme Glause 54.03-2

The height of a building must not exceed the maximum building height shown in the profile diagrams specified in the Building Envelope Schedule. Maximum building heights between specified points on a setback profile lie on a straight line drawn between the two specified points within a profile. Maximum building heights between profiles lie on a straight line drawn between the closest parts of the two profiles.

2.3 Site coverage

Building Regulations 2018 Part 5 – Siting, Regulation 76 Hume Planning Scheme Clause 54.03-3

Unless otherwise specified in the notations to the Building Envelopes as they apply to particular allotments, buildings must not occupy more than 50 per cent of the lot.

2.4 Side and rear setbacks Building Regulations 2018 Part 5 – Siting, Regulation 79 Hume Planning Scheme Clause 54.04-1

The side setback is designated on the specified Building Envelope for each allotment. A building must be setback from a side boundary not less than the distances specified in the Profile Diagrams and shown on the Building Envelopes by a setback identifier code. The measurements are taken from the natural surface levels to the top of the wall.

The side street setback is designated on the specified Building Envelope for each allotment.

The maximum height of a building facing a rear boundary must not exceed the maximum building height allowed by the side envelope profile as shown in the Profile Diagrams, or a height limit for a rear setback as dimensioned on the Building Envelope plan.

2.5 Walls on boundaries Building Regulations 2018 Part 5 – Siting, Regulation 80 Hume Planning Scheme Clause 54.04-2

Unless otherwise noted on the Building Envelopes, walls and associated parts of a building within 1.0 metre of a boundary are not permitted.

Encroachments

Side, Side Street and Rear: The following may encroach into the specified setback distances by not more than 600 mm:

- Porches, eaves, verandahs
- Masonry chimneys
- Screens, but only to the extent needed to protect a neighbouring property from a direct view
- Water tanks
- Heating and cooling equipment and other services

The following may encroach into the specified setback distances:

 Landings with an area of not more than 2 square metres and less than 0.8 metres high from natural ground level

91ATLA V3

Page 2 of 10

THE BACK OF THIS FORM MUST NOT BE USED

Memorandum of common provisions

Section 91A Intransfer of Ednid Fact 1958 T ACT 1987

This plan/document is endorsed in accordance with Condition No. 7 of Permit

- Unroof taryayspand samps
- Pergolas
- Shade sails Sheet No. 3 of 10
- Eaves (ascia, gatters 4/04/2023)

Front The following majurator that is pecified it on the purposite of the

- Porches and verandahs to a maximum height of 5.5 metres.
- Decks and uncovered landings of not more than 2 square metres and less than 0.8 metres high from natural ground level
- Eaves.

For the purposes of these guidelines, gutters are not a measured item.

2.6 Daylight to existing habitable room windows Building Regulations 2018 Part 5 – Siting, Regulation 81 Hume Planning Scheme Clause 54.04-3

This item is covered within the building envelope plan and profile diagrams.

Building Regulation 81 is superseded by this MCP.

2.7 Solar access to existing north-facing habitable room windows Building Regulations 2018 Part 5 – Siting, Regulation 82 Hume Planning Scheme Clause 54.04-4

This item is covered within the building envelope plan and profile diagrams.

Building Regulation 82 is superseded by this MCP.

2.8 Overshadowing of recreational private open space Building Regulations 2018 Part 5 – Siting, Regulation 83 Hume Planning Scheme Clause 54.04-5

This item is covered within the building envelope plan and profile diagrams.

Building Regulation 83 is superseded by this MCP.

2.9 Overlooking

Building Regulations 2018 Part 5 – Siting, Regulation 84 Hume Planning Scheme Clause 54.04-6

This item is covered within the building envelope plan and profile diagrams.

Building Regulation 84 is superseded by this MCP.

2.10 Daylight to habitable windows

Building Regulations 2018 Part 5 – Siting, Regulation 85 Hume Planning Scheme Clause 54.04-6

This item is covered within the building envelope plan and profile diagrams.

Building Regulation 85 is superseded by this MCP.


91ATLA

Page 3 of 10

THE BACK OF THIS FORM MUST NOT BE USED

Land Use Victoria contact details: see www.delwp.vic.gov.au/property>Contact us

V3



- Ground level after engineering works associated with the subdivision is to be regarded as natural ground level.
- In the case of a conflict between the Building Envelope plan or Profile Diagrams and these written notations, the specifications in the written notations prevail.
- Buildings must not cover registered easements unless provided for by the easement.

Definitions

If not defined, the words below shall have the meaning attributed to them in the document identified.

In the Building Act 1993:

- Building
- Lot

In Part 5 of Building Regulations 2018:

- Clear to the sky
- Height
- Private open space
- · Recreational private open space
- Raised open space
- Setback
- Site coverage
- Window
- Single dwelling
- North (true north)

In the Victoria Planning Provisions, 31 October 2002:

- Frontage (Clause 72)
- Dwelling (Clause 74)
- Habitable room (Clause 72)
- Storey (Clause 72)

91ATLA V3

Memorandum of common provisions Section 91A Inhansfel of Eandrach 1958 T ACT 1987 This plan/document is endorsed in accordance with Condition No. 7 of Permit Additional **፲፰፻፫/nitiုጲቦ** \$22159.01 DAP

DAP means we Design Asse ment Panel appointed by Villawood responsible for approving designs to be in accordance with this MCP.

Front street or Main Street frontage

Signature for the Responsible Authority:

Front Street means the street or road that forms the frontage to the lot concerned. Where there is more than one road which adjoins a lot or where it may be otherwise unclear, the Front Street may be identified by the letter "F" in the Building Envelope Plan or will be as agreed in writing by the DAP.

MCP

This Memorandum of Common Provisions.

Natural ground level

Natural ground level means the ground level after engineering works associated with the subdivision have been completed.

Side boundary

A boundary of a lot that runs between and connects the street frontage of the lot to the rear boundary of the

Site coverage

Site coverage includes roofed areas of the dwelling, in addition to roofed terraces, patios, decks and pergolas. Eaves, fascia and gutters not exceeding 600 mm in total width, and unroofed swimming pools, terraces, patios, decks and pergolas should be disregarded.

Standard lot

A single lot that accommodates a freestanding dwelling detached from adjoining dwellings and of an individual style.

Street

For the purposes of determining street setbacks, street means any road other than a lane, footway, alley or right of way.

Villawood

Villawood Properties.

91ATLA V3



— Easement (refer to the plan of subdivision)

Special lot requirements (refer text)

801 Lot number

Designated vehicle crossover to lot (no other vehicular access point is permitted to a lot, except with the approval of Villawood and the Hume City Council

Truffle City Coulic

Dwellings on these lots must be two storey

Dwellings on these lots to have a double garage

Dwellings on these lots to have a single or double garage

PARTICULAR LOT REQUIREMENTS FOR STAGE 8

Nil

The front and side setbacks are measured to the outermost walls of the buildings

The setback to a side street boundary for a corner lot is 2m unless noted otherwise.

Garages must be set back behind the front facade of the dwelling.

Detailed design of roads, crossovers and footpaths is provided in the relevant Engineering Plans.

Detailed design of landscape works is provided in the relevant Landscape Plans.

All details subject to approval by Hume City Council.

Refer "Diagrams and Plans" in this document for further definitions

Single Storey Building Envelope

Overlooking Zone - Habitable room windows or raised open spaces are a source of overlooking

Non-Overlooking Zone - Habitable room windows or raised open spaces are not a source of overlooking

Double Storey Building Requirement


The registered proprietor or proprietors of the lot are required to build in accordance with the approved building envelopes shown hereon and in accordance with the "Profile Diagrams" in this document.

This plan forms part of the "Sherwood Grange Design Guidelines". Please refer to these Guidelines for further information


91ATLA

V3

Page 6 of 10



Natural surface rising from side boundary




Natural surface falling from side boundary

91ATLA

V3

Page 7 of 10



Natural surface falling from side boundary


3,500

BOUNDARY 3,600


SITE

Natural Surface

2,100



Natural surface falling from side boundary



91ATLA V3

Page 10 of 10